


○地位指数 15・植栽本数 2000 本・伐期 60 年




林齢(年)		23	37	60
間伐前	上層高(m)	8.4	14.0	19.7
	平均直径(cm)	8.8	15.9	22.5
	立木本数(/ha)	1941	1301	1041
	材積(m ³ /ha)	73	227	442
間伐 (主伐)	回数(回)	1	2	主伐
	本数(/ha)	641	260	1041
	本数率(%)	33	20	100
	材積(m ³ /ha)	24	45	442

胸高直径別立木本数(/ha)・材積(m ³ /ha)		※径級10cm未満は合計本数・材積に含まれない													
林齢 (年)	cm以上 cm未満	10	14	18	22	26	30	34	38	42	46	50	54	58	合計
23	間伐前本数	745	6	0	0	0	0	0	0	0	0	0	0	0	752
	材積	48	1	0	0	0	0	0	0	0	0	0	0	0	49
	間伐後本数	499	4	0	0	0	0	0	0	0	0	0	0	0	504
	材積	32	0	0	0	0	0	0	0	0	0	0	0	0	33
37	間伐前本数	257	339	337	168	0	0	0	0	0	0	0	0	0	1101
	材積	19	51	88	66	0	0	0	0	0	0	0	0	0	223
	間伐後本数	206	271	270	135	0	0	0	0	0	0	0	0	0	881
	材積	15	40	70	53	0	0	0	0	0	0	0	0	0	178
60	主伐前本数	91	135	173	196	193	148	39	0	0	0	0	0	0	974
	材積	7	20	46	82	119	126	42	0	0	0	0	0	0	441
	主伐後本数	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	材積	0	0	0	0	0	0	0	0	0	0	0	0	0	0

林齡	上層高		主副林木(間伐前)				主林木(間伐後)				副林木				總收穫		幹材積連年成長量		幹材積年平均成長量	
			平均		/ha		/ha		/ha		/ha		/ha		/ha		/ha		/ha	
			幹材積	胸高直徑	立木本數	幹材積	立木本數	幹材積	立木本數	本數比率	幹材積	材積比率	胸高直徑	副材積	主材積	主副合計	主林木	主副合計	總收穫量	
m	m ³	cm	本	m ³	本	m ³	本	%	m ³	%	cm	m ³								
5	1.4	0.000	0.0	2000	0.3								0.3	0.2						0.1
10	3.0	0.002	2.6	1998	3.1								3.1	1.4						0.3
15	4.9	0.008	4.9	1988	15.2								15.2	4.4						1.0
20	7.1	0.023	7.3	1964	45.0								45.0	8.4						2.2
23	8.4	0.037	8.8	1941	72.6	1301	641	33.0	23.9	33.0	8.8	23.9	72.6	10.0	2.1	3.2				3.2
25	9.3	0.053	10.1	1301	69.2								93.2	11.3						3.7
30	11.4	0.100	12.8	1301	130.6								154.5	13.4						5.2
35	13.3	0.153	15.1	1301	199.2								223.2	13.9						6.4
37	14.0	0.175	15.9	1301	227.0	1041	260	20.0	45.4	20.0	15.9	69.3	250.9	13.8	4.9	6.1				6.8
40	15.0	0.214	17.2	1041	222.9								292.3	13.8						7.3
45	16.5	0.278	19.0	1041	289.0								358.3	13.1						8.0
50	17.7	0.335	20.5	1041	348.2								417.6	11.5						8.4
55	18.8	0.384	21.6	1041	400.1								469.4	9.0						8.5
60	19.7	0.425	22.5	1041	442.4	0	1041	100.0	442.4	100.0	22.5		511.8		7.4	7.4				8.5

○地位指数 13・植栽本数 3000 本・伐期 80 年




林齢(年)		25	34	44	80
間伐前	上層高(m)	8.1	11.2	14.0	19.0
	平均直径(cm)	8.1	12.0	15.4	21.0
	立木本数(/ha)	2871	1924	1539	1231
	材積(m ³ /ha)	86	161	249	438
間伐 (主伐)	回数(回)	1	2	3	主伐
	本数(/ha)	948	385	308	1231
	本数率(%)	33	20	20	100
	材積(m ³ /ha)	29	32	50	438

胸高直径別立木本数(/ha)・材積(m ³ /ha)		※径級10cm未満は合計本数・材積に含まれない													
林齢 (年)	cm以上 cm未満	10	14	18	22	26	30	34	38	42	46	50	54	58	合計
		14	18	22	26	30	34	38	42	46	50	54	58	62	
25	間伐前本数	806	0	0	0	0	0	0	0	0	0	0	0	0	806
	材積	47	0	0	0	0	0	0	0	0	0	0	0	0	47
34	間伐後本数	540	0	0	0	0	0	0	0	0	0	0	0	0	540
	材積	31	0	0	0	0	0	0	0	0	0	0	0	0	31
44	間伐前本数	661	600	74	0	0	0	0	0	0	0	0	0	0	1336
	材積	47	86	16	0	0	0	0	0	0	0	0	0	0	149
80	間伐後本数	529	480	59	0	0	0	0	0	0	0	0	0	0	1069
	材積	38	69	13	0	0	0	0	0	0	0	0	0	0	119
44	間伐前本数	323	420	398	145	0	0	0	0	0	0	0	0	0	1286
	材積	23	62	103	55	0	0	0	0	0	0	0	0	0	244
80	間伐後本数	259	336	318	116	0	0	0	0	0	0	0	0	0	1029
	材積	19	50	83	44	0	0	0	0	0	0	0	0	0	195
80	主伐前本数	127	186	234	253	225	113	0	0	0	0	0	0	0	1138
	材積	9	28	62	106	138	93	0	0	0	0	0	0	0	436
80	主伐後本数	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	材積	0	0	0	0	0	0	0	0	0	0	0	0	0	0

林齡	上層高		主副林木(間伐前)		主林木(間伐後)		副林木				總收穫		幹材積連年成長量		幹材積年平均成長量		
			平均		/ha		/ha		/ha				/ha		/ha		
			幹材積	胸高直徑	立木本數	幹材積	立木本數	幹材積	立木本數	本數比率	幹材積	材積比率	胸高直徑	副林木材積	主材積	主副合計	主林木
m ³	cm	本	m ³	本	m ³	本	%	m ³	%	cm	m ³						
5	1.2	0.000	1.0	3000	0.2							0.2	0.2	0.2			0.0
10	2.6	0.001	2.3	2996	2.9							2.9	2.9	1.3			0.3
15	4.3	0.005	4.0	2979	14.2							14.2	14.2	4.0			0.9
20	6.2	0.014	6.1	2938	41.6							41.6	41.6	7.7			2.1
25	8.1	0.030	8.1	2871	86.4	1924	57.9	33.0	28.5	33.0	8.1	86.4	10.2	2.3	3.5	3.5	3.5
30	9.9	0.059	10.5	1924	112.9	1924	129.0	33.0	32.3	20.0	8.1	141.4	10.2	2.3	3.5	4.7	4.7
34	11.2	0.084	12.0	1924	161.3	1539	129.0	33.0	32.3	20.0	12.0	189.8	12.3	3.8	4.7	5.6	5.6
35	11.5	0.092	12.4	1539	141.3							202.1	12.3	3.8	4.7	5.6	5.8
40	13.0	0.131	14.2	1539	202.1							262.9	11.8	4.5	5.7	6.6	6.6
44	14.0	0.162	15.4	1539	249.2	1231	199.4	20.0	49.8	20.0	15.4	310.0	10.7	4.5	5.7	7.0	7.0
45	14.3	0.171	15.7	1231	210.1							320.7	10.7	4.5	5.7	7.1	7.1
50	15.4	0.213	17.2	1231	262.3							372.9	9.1	4.5	5.7	7.5	7.5
55	16.3	0.248	18.2	1231	305.2							415.8	7.8	4.5	5.7	7.6	7.6
60	17.1	0.277	19.0	1231	341.6							452.3	6.6	4.5	5.7	7.5	7.5
65	17.7	0.304	19.7	1231	374.4							485.1	5.5	4.5	5.7	7.5	7.5
70	18.2	0.325	20.2	1231	399.8							510.4	4.5	4.5	5.7	7.3	7.3
75	18.7	0.342	20.6	1231	420.7							531.3	3.7	4.5	5.7	7.1	7.1
80	19.0	0.356	21.0	1231	437.8	0	437.8	100.0	437.8	100.0	21.0	548.5	5.5	5.5	5.5	6.9	6.9

○地位指数 13・植栽本数 3000 本・伐期 60 年




林齢(年)		25	34	60
間伐前	上層高(m)	8.1	11.2	17.1
	平均直径(cm)	8.1	12.0	19.2
	立木本数(/ha)	2871	1924	1289
	材積(m ³ /ha)	86	161	369
間伐 (主伐)	回数(回)	1	2	主伐
	本数(/ha)	948	635	1289
	本数率(%)	33	33	100
	材積(m ³ /ha)	29	53	369

胸高直径別立木本数(/ha)・材積(m³/ha) ※径級10cm未満は合計本数・材積に含まれない

林齢 (年)	cm以上 cm未満	10	14	18	22	26	30	34	38	42	46	50	54	58	合計
		25	間伐前本数	806	0	0	0	0	0	0	0	0	0	0	0
	材積	47	0	0	0	0	0	0	0	0	0	0	0	0	47
	間伐後本数	540	0	0	0	0	0	0	0	0	0	0	0	0	540
	材積	31	0	0	0	0	0	0	0	0	0	0	0	0	31
34	間伐前本数	661	600	74	0	0	0	0	0	0	0	0	0	0	1336
	材積	47	86	16	0	0	0	0	0	0	0	0	0	0	149
	間伐後本数	443	402	50	0	0	0	0	0	0	0	0	0	0	895
	材積	32	58	11	0	0	0	0	0	0	0	0	0	0	100
60	主伐前本数	164	234	282	280	191	18	0	0	0	0	0	0	0	1167
	材積	12	35	74	116	115	13	0	0	0	0	0	0	0	366
	主伐後本数	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	材積	0	0	0	0	0	0	0	0	0	0	0	0	0	0

林齡	上層高	主副林木(間伐前)				主林木(間伐後)				副林木				總收穫				幹材積連年成長量		幹材積年平均成長量	
		平均		/ha	/ha		/ha		/ha		/ha		/ha		/ha		/ha		/ha		
年	m	幹材積 m ³	胸高直徑 cm	立木本數 本	幹材積 m ³	立木本數 本	幹材積 m ³	立木本數 本	本數比率 %	幹材積 m ³	材積比率 %	胸高直徑 cm	副林木 材積 m ³	主副林木 材積 m ³	主副合計 m ³	主林木 m ³	主副合計 m ³	總收量 m ³			
5	1.2	0.000	1.0	3000	0.2									0.2	0.2	0.2	0.2	0.0			
10	2.6	0.001	2.3	2996	2.9									2.9	1.3	1.3	1.3	0.3			
15	4.3	0.005	4.0	2979	14.2									14.2	4.0	4.0	4.0	0.9			
20	6.2	0.014	6.1	2938	41.6									41.6	7.7	7.7	7.7	2.1			
25	8.1	0.030	8.1	2871	86.4	1924	948	33.0	33.0	28.5	33.0	8.1	28.5	86.4	10.2	2.3	3.5	3.5			
30	9.9	0.059	10.5	1924	112.9									141.4	11.9			4.7			
34	11.2	0.084	12.0	1924	161.3	1289	635	33.0	33.0	53.2	33.0	12.0	81.8	189.8	12.3	3.2	4.7	5.6			
35	11.5	0.093	12.5	1289	120.3									202.1	12.3			5.8			
40	13.0	0.141	14.6	1289	181.2									262.9	11.6			6.6			
45	14.3	0.184	16.2	1289	237.0									318.7	10.7			7.1			
50	15.4	0.224	17.5	1289	289.2									370.9	9.1			7.4			
55	16.3	0.258	18.5	1289	332.1									413.8	7.8			7.5			
60	17.1	0.286	19.2	1289	368.5	0	1289	100.0	100.0	368.5	100.0	19.2		450.3		6.1	6.1	7.5			

○地位指数 13・植栽本数 2500 本・伐期 80 年




林齢(年)		25	33	80
間伐前	上層高(m)	8.1	10.9	19.0
	平均直径(cm)	8.3	12.0	21.9
	立木本数(/ha)	2414	1617	1132
	材積(m ³ /ha)	76	135	452
間伐 (主伐)	回数(回)	1	2	主伐
	本数(/ha)	797	485	1132
	本数率(%)	33	30	100
	材積(m ³ /ha)	25	40	452

胸高直径別立木本数(/ha)・材積(m³/ha) ※径級10cm未満は合計本数・材積に含まれない

林齢 (年)	cm以上 cm未満	10	14	18	22	26	30	34	38	42	46	50	54	58	合計
		25	間伐前本数	730	0	0	0	0	0	0	0	0	0	0	0
	材積	43	0	0	0	0	0	0	0	0	0	0	0	0	43
	間伐後本数	489	0	0	0	0	0	0	0	0	0	0	0	0	489
	材積	29	0	0	0	0	0	0	0	0	0	0	0	0	29
33	間伐前本数	558	501	60	0	0	0	0	0	0	0	0	0	0	1119
	材積	40	72	13	0	0	0	0	0	0	0	0	0	0	124
	間伐後本数	391	350	42	0	0	0	0	0	0	0	0	0	0	783
	材積	28	50	9	0	0	0	0	0	0	0	0	0	0	87
80	主伐前本数	105	155	197	221	211	147	20	0	0	0	0	0	0	1056
	材積	8	23	52	92	129	124	21	0	0	0	0	0	0	451
	主伐後本数	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	材積	0	0	0	0	0	0	0	0	0	0	0	0	0	0

林齡	上層高		主副林木(間伐前)		主林木(間伐後)		副林木				總收穫		幹材積連年成長量		幹材積年平均成長量				
			平均	/ha	/ha	/ha	本數比率	幹材積	材積比率	胸高直徑	副林木	主副林木	主林木	主副合計	主林木	主副合計	總收穫量		
年	m	m ³	cm	本	m ³	本	m ³	本	%	m ³	%	cm	m ³						
5	1.2	0.000	0.0	2500	0.2								0.2	0.2	0.0				
10	2.6	0.001	2.3	2497	2.4								2.4	1.1	0.2				
15	4.3	0.005	4.1	2486	12.0								12.0	3.5	0.8				
20	6.2	0.015	6.2	2459	35.8								35.8	6.8	1.8				
25	8.1	0.031	8.3	2414	75.9	1617	50.8	797	33.0	25.0	33.0	8.3	25.0	9.2	3.0	2.0	3.0	4.2	3.0
30	9.9	0.062	10.7	1617	101.0								126.1	11.0	4.8	2.9	4.1	4.8	4.8
33	10.9	0.083	12.0	1617	134.7	1132	94.3	485	30.0	40.4	30.0	12.0	159.8	11.5	5.2				
35	11.5	0.104	13.0	1132	117.3								182.8	11.5	5.2				
40	13.0	0.154	15.1	1132	174.6								240.1	11.1	6.0				
45	14.3	0.202	16.8	1132	228.6								294.1	10.6	6.5				
50	15.4	0.246	18.2	1132	279.0								344.4	8.9	6.9				
55	16.3	0.284	19.2	1132	321.1								386.5	7.7	7.0				
60	17.1	0.315	20.0	1132	357.0								422.4	6.5	7.0				
65	17.7	0.344	20.7	1132	389.4								454.8	5.4	7.0				
70	18.2	0.366	21.2	1132	414.5								480.0	4.5	6.9				
75	18.7	0.384	21.6	1132	435.3								500.7	3.7	6.7				
80	19.0	0.400	21.9	1132	452.3	0	452.3	1132	100.0	452.3	100.0	21.9			5.7	5.7			6.5

○地位指数 13・植栽本数 2500 本・伐期 60 年




林齢(年)		25	33	60
間伐前	上層高(m)	8.1	10.9	17.1
	平均直径(cm)	8.3	12.0	19.3
	立木本数(/ha)	2414	1617	1294
	材積(m ³ /ha)	76	135	372
間伐 (主伐)	回数(回)	1	2	主伐
	本数(/ha)	797	323	1294
	本数率(%)	33	20	100
	材積(m ³ /ha)	25	27	372

胸高直径別立木本数(/ha)・材積(m³/ha) ※径級10cm未満は合計本数・材積に含まれない

林齢 (年)	cm以上 cm未満	10	14	18	22	26	30	34	38	42	46	50	54	58	62	合計
		25	間伐前本数	730	0	0	0	0	0	0	0	0	0	0	0	
	材積	43	0	0	0	0	0	0	0	0	0	0	0	0	0	43
	間伐後本数	489	0	0	0	0	0	0	0	0	0	0	0	0	0	489
	材積	29	0	0	0	0	0	0	0	0	0	0	0	0	0	29
33	間伐前本数	558	501	60	0	0	0	0	0	0	0	0	0	0	0	1119
	材積	40	72	13	0	0	0	0	0	0	0	0	0	0	0	124
	間伐後本数	446	400	48	0	0	0	0	0	0	0	0	0	0	0	895
	材積	32	57	10	0	0	0	0	0	0	0	0	0	0	0	100
60	主伐前本数	163	234	282	281	193	19	0	0	0	0	0	0	0	0	1172
	材積	12	35	74	117	116	14	0	0	0	0	0	0	0	0	369
	主伐後本数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	材積	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

林齡	上層高		主副林木(間伐前)				主林木(間伐後)		副林木				總收穫		幹材積連年成長量		幹材積年平均成長量		總收量
			平均		/ha		/ha		/ha				/ha		/ha		/ha		
			幹材積	胸高直徑	立木本數	幹材積	立木本數	幹材積	立木本數	本數比率	幹材積	材積比率	胸高直徑	材積木	主材積木	主副合計	主林木	主副合計	
m ³	cm	本	m ³	本	m ³	本	%	m ³	%	cm	m ³								
5	1.2	0.000	0.0	2500	0.2								0.2	0.2	0.2	0.2	0.0		
10	2.6	0.001	2.3	2497	2.4								2.4	1.1	1.1	0.2			
15	4.3	0.005	4.1	2486	12.0								12.0	3.5	3.5	0.8			
20	6.2	0.015	6.2	2459	35.8								35.8	6.8	6.8	1.8			
25	8.1	0.031	8.3	2414	75.9	1617	50.8	797	33.0	8.3	25.0	75.9	126.1	9.2	2.0	3.0	3.0		
30	9.9	0.062	10.7	1617	101.0								101.0	11.0		4.2			
33	10.9	0.083	12.0	1617	134.7	1294	107.8	323	20.0	12.0	52.0	159.8	115.5	11.5	3.3	4.1	4.8		
35	11.5	0.101	12.9	1294	130.8								182.8	11.5		5.2			
40	13.0	0.145	14.8	1294	188.1								240.1	11.1		6.0			
45	14.3	0.188	16.3	1294	243.0								295.0	10.4		6.6			
50	15.4	0.227	17.6	1294	293.6								345.6	8.9		6.9			
55	16.3	0.259	18.5	1294	335.7								387.7	7.7		7.0			
60	17.1	0.287	19.3	1294	371.6	0	371.6	1294	100.0	19.3		423.6		6.2	6.2	7.1			

○地位指数 13・植栽本数 2000 本・伐期 80 年




		林齢(年)		
		25	33	80
間伐前	上層高(m)	8.1	10.9	19.0
	平均直径(cm)	8.4	12.0	21.4
	立木本数(/ha)	1948	1461	1169
	材積(m ³ /ha)	64	123	440
(主伐)	回数(回)	1	2	主伐
	本数(/ha)	487	292	1169
	本数率(%)	25	20	100
	材積(m ³ /ha)	16	25	440

胸高直径別立木本数(/ha)・材積(m³/ha) ※径級10cm未満は合計本数・材積に含まれない

林齢(年)	cm以上 cm未満	10	14	18	22	26	30	34	38	42	46	50	54	58	62	合計
		25	間伐前本数	633	0	0	0	0	0	0	0	0	0	0	0	
	材積	39	0	0	0	0	0	0	0	0	0	0	0	0	0	39
	間伐後本数	475	0	0	0	0	0	0	0	0	0	0	0	0	0	475
	材積	29	0	0	0	0	0	0	0	0	0	0	0	0	0	29
33	間伐前本数	501	453	60	0	0	0	0	0	0	0	0	0	0	0	1014
	材積	36	65	13	0	0	0	0	0	0	0	0	0	0	0	114
	間伐後本数	401	363	48	0	0	0	0	0	0	0	0	0	0	0	811
	材積	29	52	10	0	0	0	0	0	0	0	0	0	0	0	91
80	主伐前本数	115	169	213	234	216	132	6	0	0	0	0	0	0	0	1085
	材積	8	25	56	98	133	111	6	0	0	0	0	0	0	0	438
	主伐後本数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	材積	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

林齡	上層高		主副林木(間伐前)				主林木(間伐後)				副林木				總收穫		幹材積連年成長量		幹材積年平均成長量	
			平均		/ha		/ha		/ha		/ha		/ha		/ha		/ha		/ha	
			幹材積	胸高直徑	立木本數	幹材積	立木本數	幹材積	立木本數	本數比率	幹材積	材積比率	胸高直徑	副林木材積	主副林木材積	主副合計	主林木	主副合計	總收量	
m	m ³	cm	m ³	本	m ³	本	%	m ³	%	cm	m ³									
5	1.2	0.000	0.0	2000	0.2								0.2	0.1			0.0			
10	2.6	0.001	2.3	1998	1.9								1.9	0.9			0.2			
15	4.3	0.005	4.1	1992	9.8								9.8	2.8			0.7			
20	6.2	0.015	6.2	1976	29.6								29.6	5.7			1.5			
25	8.1	0.033	8.4	1948	64.1	1461	48.1	487	25.0	16.0	25.0	16.0	64.1	8.0	1.9	2.6	2.6			
30	9.9	0.063	10.8	1461	92.4								108.4	9.9			3.6			
33	10.9	0.084	12.0	1461	122.8	1169	98.2	292	20.0	24.6	20.0	40.6	138.8	10.5	3.0	3.7	4.2			
35	11.5	0.102	12.9	1169	119.2								159.8	10.5			4.6			
40	13.0	0.147	14.9	1169	171.8								212.3	10.4			5.3			
45	14.3	0.191	16.4	1169	223.0								263.6	9.8			5.9			
50	15.4	0.232	17.7	1169	271.2								311.8	8.6			6.2			
55	16.3	0.267	18.7	1169	311.8								352.4	7.4			6.4			
60	17.1	0.297	19.5	1169	346.7								387.3	6.3			6.5			
65	17.7	0.324	20.2	1169	378.3								418.9	5.3			6.4			
70	18.2	0.345	20.7	1169	402.9								443.5	4.4			6.3			
75	18.7	0.362	21.1	1169	423.3								463.9	3.6			6.2			
80	19.0	0.377	21.4	1169	440.1	0	440.1	1169	100.0	440.1	100.0		480.7		5.5	5.5	6.0			

○地位指数 13・植栽本数 2000 本・伐期 60 年




林齢(年)		25	34	60
間伐前	上層高(m)	8.1	11.2	17.1
	平均直径(cm)	8.4	12.2	19.1
	立木本数(/ha)	1948	1559	1247
	材積(m ³ /ha)	64	136	348
間伐 (主伐)	回数(回)	1	2	主伐
	本数(/ha)	390	312	1247
	本数率(%)	20	20	100
	材積(m ³ /ha)	13	27	348

胸高直径別立木本数(/ha)・材積(m³/ha) ※径級10cm未満は合計本数・材積に含まれない

林齢 (年)	cm以上 cm未満	10	14	18	22	26	30	34	38	42	46	50	54	58	62	合計
		25	間伐前本数	633	0	0	0	0	0	0	0	0	0	0	0	
	材積	39	0	0	0	0	0	0	0	0	0	0	0	0	0	39
	間伐後本数	506	0	0	0	0	0	0	0	0	0	0	0	0	0	506
	材積	31	0	0	0	0	0	0	0	0	0	0	0	0	0	31
34	間伐前本数	521	493	86	0	0	0	0	0	0	0	0	0	0	0	1100
	材積	37	71	19	0	0	0	0	0	0	0	0	0	0	0	127
	間伐後本数	417	394	69	0	0	0	0	0	0	0	0	0	0	0	880
	材積	30	57	15	0	0	0	0	0	0	0	0	0	0	0	102
60	主伐前本数	162	231	276	270	175	11	0	0	0	0	0	0	0	0	1126
	材積	12	35	73	112	105	8	0	0	0	0	0	0	0	0	345
	主伐後本数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	材積	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

林齡	上層高		主副林木(間伐前)		主林木(間伐後)		副林木				總收穫		幹材積連年成長量		幹材積年平均成長量		
	平均	胸高直徑	/ha	立木本數	/ha	立木本數	/ha	本數比率	幹材積	材積比率	胸高直徑	/ha	主材積	副材積	/ha	主材積	副材積
年	m	cm	m ³	本	m ³	本	m ³	%	m ³	%	cm	m ³					
5	1.2	0.000	0.0	2000	0.2							0.2	1.9	0.1		0.0	
10	2.6	0.001	2.3	1998	1.9							1.9	9.8	0.9		0.2	
15	4.3	0.005	4.1	1992	9.8							9.8	29.6	2.8		0.7	
20	6.2	0.015	6.2	1976	29.6							29.6	64.1	5.7		1.5	
25	8.1	0.033	8.4	1948	64.1	1559	51.3	20.0	12.8	20.0	8.4	12.8	64.1	8.0	2.1	2.6	2.6
30	9.9	0.061	10.6	1559	95.6							108.4	149.3	9.9		3.6	3.6
34	11.2	0.088	12.2	1559	136.5	1247	109.2	20.0	27.3	20.0	12.2	40.1	149.3	10.6	3.2	4.0	4.4
35	11.5	0.096	12.6	1247	119.8								159.9	10.6		4.6	4.6
40	13.0	0.139	14.5	1247	172.7								212.9	10.4		5.3	5.3
45	14.3	0.180	16.1	1247	224.0								264.1	9.8		5.9	5.9
50	15.4	0.218	17.3	1247	272.2								312.3	8.6		6.2	6.2
55	16.3	0.251	18.3	1247	312.8								352.9	7.4		6.4	6.4
60	17.1	0.279	19.1	1247	347.7	0	347.7	100.0	347.7	100.0	19.1		387.8	5.8	5.8	5.8	6.5

○地位指数 11・植栽本数 3000 本・伐期 80 年



林齢 (年)		29	40	80
間伐前	上層高(m)	8.1	11.0	16.1
	平均直径(cm)	8.1	11.5	17.0
	立木本数(/ha)	2872	2154	1723
	材積(m ³ /ha)	86	162	356
間伐 (主伐)	回数(回)	1	2	主伐
	本数(/ha)	718	431	1723
	本数率(%)	25	20	100
	材積(m ³ /ha)	22	32	356

胸高直径別立木本数(/ha)・材積(m³/ha) ※径級10cm未満は合計本数・材積に含まれない

林齢 (年)	cm以上 cm未満	10	14	18	22	26	30	34	38	42	46	50	54	58	合計
		29	間伐前本数	802	0	0	0	0	0	0	0	0	0	0	
	材積	46	0	0	0	0	0	0	0	0	0	0	0	0	46
	間伐後本数	602	0	0	0	0	0	0	0	0	0	0	0	0	602
	材積	35	0	0	0	0	0	0	0	0	0	0	0	0	35
40	間伐前本数	790	618	18	0	0	0	0	0	0	0	0	0	0	1426
	材積	56	87	4	0	0	0	0	0	0	0	0	0	0	147
	間伐後本数	632	494	15	0	0	0	0	0	0	0	0	0	0	1141
	材積	45	69	3	0	0	0	0	0	0	0	0	0	0	117
80	主伐前本数	293	402	439	329	39	0	0	0	0	0	0	0	0	1500
	材積	21	60	115	134	21	0	0	0	0	0	0	0	0	351
	主伐後本数	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	材積	0	0	0	0	0	0	0	0	0	0	0	0	0	0