

Bulletin
of
Hokkaido Prefectural

No.70
March 1996
Contents

- Effects of harvesting period on the growth and productivity of asparagusYuji HIKASA
Ken-ichi KAMATA (1-8)
- Characteristics of temperata phage of *Erwinia carotovora* subsp. *carotovora*
causing bacterial soft rot of onionsTamio TANAKA
Izumi SAITO (9-16)
- Microbial activities in upland fields and factors relating themShuji HIGASHIDA
Hajime TAMURA
Masahiro YAMAGAMI (17-26)
- Distribution of the rice root nematodes, *Hirschmanniella* spp. found in
paddy fields in Hokkaido, JapanEiiti YAMADA (27-36)
- A new kidney bean variety "Fukumasari"Hitoshi SATO
Yuji SHINADA
Syuzo IIDA
Masaki HARA
Ichimi CHIBA (37-48)
- A new onion variety "Kitamikou No.17"Shizuyuki TANAKA
Masa-Aki NAKANO
Masaki IRITANI
Kuniaki MIYAURA
Yoshihiko SHIGA
Yuji SHINADA
Hiroaki OCHI
Teiichi YAMAKI
Naohisa MORI
Hisaki HASEGAWA
Masao SATOH
Masanori GOTOH
Yoshiyuki TAKAI (49-60)
- A new sweet corn variety "Sweet Memori"Yasuhiro TAKAMIYA
Shigeyuki SENDO
Tomoaki MIYOSHI
Eihide MONMA
Masao SATO
Toshiyuki OIKAWA
Katsuhiro UJIE
Masanori GOTO
Yoshinori SUZUKI (61-72)
- A new sweet corn variety "Summer Sweet"Shigeyuki SENDO
Tomoaki MIYOSHI
Eihide MONMA
Yasuhiro TAKAMIYA
Kazuori SUZUKI
Masao SATO
Toshiyuki OIKAWA
Katsuhiro UJIE
Masanori GOTO
Yoshinori SUZUKI
Syoichi NISHIKAWA
Mikiji KODAMA (73-58)