

SCIENTIFIC REPORTS
OF
HOKKAIDO FISHERIES EXPERIMENTAL STATION

Nos.21-29

CONTENTS

No. 21 (March, 1979)

Report No.

- A 95 KOTORI, Moriyuki and Soshi HAMAOKA: Plankton investigations in Ishikari Bay, Hokkaido. III. Faunal and taxonomical notes on Copepoda 1-16
- A 96 KITAGUCHI, Takao: A taxonomic study of sandlances (Genus *Ammodytes*) in the waters of Northern Coast of Hokkaido, Japan 17-30

No. 22 (March, 1980)

- A 97 TAJIMA, Ken-ichiro and Kyoji TOMITA: Hermaphroditism in a Sea Urchin, *Strongylocentrotus intermedius* 1-5
- A 98 NIIHARA, Yoshiaki, Shin-ichi NABATA, Minoru MATSUYA and Fumio TAKEI: Maturity, seasonal and diurnal variation of occurrence of sprouting sporophytes in *Laminaria japonica* var. *ochotensis* OKAMURA 7-16
- A 99 FUNANO, Takashi: Ecological and maricultural studies on *Laminaria japonica* growing on the shores of Date City, Hokkaido. 1. Ecology of *L. Japonica* 17-77

No. 23 (March, 1981)

- A 100 KOTORI, Moriyuki: Plankton investigations in Ishikari Bay, Hokkaido. V. "Biomass curves" of zooplankton during the warm season (June-November) from 1975 to 1979 1-7
- A 101 FUNANO, Takashi: Ecological and maricultural studies on *Laminaria japonica* growing on the shores of Date City, Hokkaido. II. Technical approaches to create laminarian forest by concrete blocks and cut stones 9-52
- A 102 NABATA, Shin-ichi, Yoshiaki NIIHARA, Minoru MATSUYA and

- Fumio TAKEI: Ecological studies on *Sargassum confusum*
from Rishiri Island in northern Hokkaido 53-64
- A 103 UTOH, Hitoshi: Growth of the brackish-water bivalve, *Corbicula japonica* PRIME, in Lake Abashiri 65-81
- A 104 MARU, Kuniyoshi: Reproductive cycle of the brackish-water bivalve, *Corbicula japonica* PRIME, in Lake Abashiri 83-95
- A 105 NISHIDA, Hajime and Nobukazu SHIBATA: Oxidation of lipids in the saury (*Cololabis saira*) 97-102

No. 24 (March, 1982)

- A 106 ABE, Koji and Mikio KOIKE: The growth of the Hanasakigani, *Paralithodes brevipes* (Decapoda, Anomura) 1-14
- A 107 MIZUSHIMA, Toshihiro and Harumi OMI: Growth and sexual phases of the shrimps, *Pandalus kessleri* CZERNIAVSKY in Notsuke Bay, Hokkaido, with special reference to the two types of growth 15-27
- A 108 TAKAMARU, Noriyoshi and Toshikuni OCHIAI: Gammaridean amphipods in Hamanaka Bay and Biwase Bay, Hokkaido 29-39
- A 109 ABE, Eiji, Keiji MATSUYAMA and Yasuaki TSUJI: On the recolonization of *Laminaria religiosa* MIYABE, in Oshoro Bay, Hokkaido 41-50
- A 110 TAKAMARU, Noriyoshi and Shigeru NAKAO: Benthic communities of Japanese surf clam (*Pseudocardium sybillae*) beds in Hamanaka Bay and Biwase Bay, Hokkaido 51-58
- A 111 MIYAMOTO, Tateki, Katsuo SAITO, Satoshi MOTOYA, Nobuyoshi NISHIKAWA, Haruhiro MONMA and Kazuhiro KAWAMURA: Experimental studies on the release of the cultured seeds of abalone, *Haliotis discus hannai* INO in Oshoro Bay, Hokkaido 59-89
- A 112 SUGIMOTO, Takashi, Ken-ichiro TAJIMA and Kyoji TOMITA: Reproductive cycle of the sea urchin, *Strongylocentrotus nudus*, on the northern coast of Hokkaido 91-99

No. 25 (March, 1983)

- A 113 KOTORI, Moriyuki: Plankton investigations in Ishikari Bay, Hokkaido. VI. Zooplankton biomass in 1980 and 1981 1-6
- A 114 KOTORI, Moriyuki: Plankton investigations in Ishikari Bay, Hokkaido. VII. Vertical distribution of zooplankton biomass 7-13

- A 115 KAWAMATA, Kenji: Reproductive cycle of the scallop, *Patinopecten yessoensis* (JAY), planted in Funka Bay, Hokkaido 15-20
- A 116 SAITO, Katsuo and Tateki MIYAMOTO: Ecological studies on sea urchins, *Strongylocentrotus intermedius* (A. AGASSIZ) and *S. nudus* (A. AGASSIZ) in an artificial channel of tidal rock flat 21-34
- A 117 KAKIUCHI, Masahiro, Eiji ABE, Keiji MATSUYAMA and Takashi KANEKO: Algal vegetation of the artificial channel at Kamoenai, west coast of Hokkaido 35-46
- A 118 ABE, Eiji, Masahiro KAKIUCHI, Keiji MATSUYAMA and Takashi KANEKO: Seasonal variations in growth and chemical components in the blade of *Laminaria religiosa* MIYABE, in Oshoro Bay, Hokkaido 47-60
- A 119 FUNANO, Takashi: The ecology of *Laminaria religiosa* MIYABE. I. The life history and the alternation of nuclear phases of *Laminaria religiosa*, and the physiological ecology of the gametophytes and the embryonal sporophytes 61-109
- A 120 FUNANO, Takashi: The ecology of *Laminaria religiosa* MIYABE. II. The ecology of the populations different in age and site in Oshoro Bay at its surroundings, Otaru City, Hokkaido 111-186
- A 121 MATSUYAMA, Keiji: Photosynthesis of *Undaria pinnatifida* SURINGAR f. *distans* MIYABE et OKAMURA (Phaeophyceae) from Oshoro Bay. I. Seasonal changes of photosynthetic and respiratory rates 187-193
- A 122 MATSUYAMA, Keiji: Photosynthesis of *Undaria pinnatifida* SURINGAR f. *distans* MIYABE et OKAMURA (Phaeophyceae) from Oshoro Bay. II. Photosynthetic in several portions of the thallus 195-200
- A 123 SUZUKI, Kunio, Muneharu KUSAKARI, Motohiro SHIMIZU and Juro YAMADA: Hematological studies of a rockfish, *Sebastes schlegeli* HILGENDORF. 1. Classification of blood cells in circulating blood and hematopoietic organs 201-215
- A 124 SUZUKI, Kunio, Muneharu KUSAKARI, Motohiro SHIMIZU and Juro YAMADA: Hematological studies of a rockfish, *Sebastes schlegeli* HILGENDORF. 2. Seasonal changes of blood cell counts in cultured fish 217-222

No. 26 (March, 1984)

- A 125 NAKATA, Jun: Southward migration of the squid, *Todarodes pacificus* STEENSTRUP, from the southeastern waters of Hokkaido 1-9
- A 126 KIKUCHI, Kazuo, Yasushi NOZAWA and Eiji MATSUMOTO: Environmental changes of Lake Saroma recorded in sediment cores 11-24
- A 127 ABE, Eiji, Masahiro KAKIUCHI, Keiji MATSUYAMA and Takashi KANEKO: On the estimating methods of the blade area in *Laminaria religiosa* MIYABE, Oshoro Bay, Hokkaido 25-37

No. 27 (September, 1985)

- A 128 MARU, Kuniyoshi: Ecological studies on the seed production of scallop, *Patinopecten yessoensis* (JAY) 1-53
- A 129 MARU, Kuniyoshi: Tolerance of scallop, *Patinopecten yessoensis* (JAY) to temperature and specific gravity during early developmental stages 55-64
- A 130 KAWAMATA, Kenji: Abnormal gonad development observed in the scallops, *Patinopecten yessoensis* (JAY), cultured in Funka Bay, Hokkaido 65-69
- A 131 TAKAHASHI, Kazuhiro, Tateki MIYAMOTO, Yoshio MIZUTORI and Masaichi ITO: Ecological study of rocky-shore crabs in Oshoro Bay 71-89
- A 132 MATSUYAMA, Keiji: Seasonal changes in photosynthetic rates of *Laminaria religiosa* (Phaeophyceae) for the presumption of production 91-99
- A 133 ABE, Eiji, Masahiro KAKIUCHI, Keiji MATSUYAMA and Takashi KANEKO: Seasonal variations in growth of the blade in *Laminaria religiosa* MIYABE of Oshoro Bay, Hokkaido 101-110
- A 134 MIZUSHIMA, Toshihiro: Seasonal changes in standing crop and production of eelgrass (*Zostera marina* LINNE) in Notsuke Bay, eastern Hokkaido 111-118

No. 28 (March, 1986)

- A 135 KANOMATA, Ichiro, Tomomi WATANABE, Iori TANAKA, Moriyuki KOTORI and Ikuo NASUKAWA: Seasonal change in concentrations of nutrients and chlorophyll *a* at a coastal station off Yoichi, Ishikari Bay, Hokkaido 1-10

- A 136 KOTORI, Moriyuki, Ichiro KANOMATA, Iori TANAKA and Ikuo NASUKAWA:
Carbon and nitrogen contents of natural populations of net
plankton and individuals of *Thysanoessa inermis* (Euphausiacea)
in Ishikari Bay and adjacent waters 11-23
- A 137 TAKAMARU, Noriyoshi: The factors of mortality of the Japanese
surf clam (*Pseudocardium sybillae*) off Bekkai, eastern
Hokkaido 25-32
- A 138 TAKI, Jyo: Population dynamics of *Strongylocentrotus intermedius*
in Akkeshi Bay 33-43
- A 139 FUNANO, Takashi: A comparison of *Laminaria religiosa* with
L. japonica, *L. ochotensis* and *L. diabolica* by transplanting
culture experiments 45-61

No. 29 (March, 1987)

- A 140 UTOH, Hitoshi and Shigeki SAKAZAKI: Life history of the smelt,
Hypomesus transpacificus nipponensis Mc ALLISTER, in Lake
Abashiri. 3. Seaward and upstream migration 1-16
- A 141 KURATA, Mamoru and Yuji NISHIHAMA: Seasonal change of the
hydrographic condition in Lake Notoro, Hokkaido 17-24
- A 142 MIZUSHIMA, Toshihiro: Changes of distribution and population
density of *Pandalus kessleri* CZERNIAVSKY in Notsuke Bay,
Hokkaido 25-35
- A 143 NIIHARA, Yoshiaki, Atsushi KUDO, Kouetsu OONO and Seiki TAKAYA:
An ecology of *Alaria crassifolia* KJELLMAN at Esan,
southern Hokkaido 37-49