

附表 16 施肥標準表

作目 作物 作物名
 コト コト
 1 01 水稻全層

地帯 区分	作型 コト	沖積土				泥炭土				火山性土				洪積土				分施率%安定			
		N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	区分
01A	0~3	8.5	9.0	9.0	0.0	6.0	8.5	9.0	0.0	8.5	9.0	9.0	0.0	7.5	8.5	8.0	0.0	15			2
01B	0~3	8.0	8.5	8.5	0.0	5.5	8.0	8.5	0.0	8.0	8.5	8.5	0.0	7.0	8.0	8.0	0.0	15			2
02A	0~3	8.5	9.0	9.0	0.0	6.0	8.5	9.0	0.0	8.5	9.0	9.0	0.0	7.5	8.5	8.0	0.0	15			2
02B	0~3	8.0	8.5	8.5	0.0	5.5	8.0	8.5	0.0	8.0	8.5	8.5	0.0	7.0	8.0	8.0	0.0	15			2
02C	0~3	7.0	8.0	8.0	0.0	5.0	7.5	8.0	0.0	7.5	8.5	8.0	0.0	6.5	7.5	7.0	0.0	15			
03A	0~3	8.5	9.0	9.0	0.0	6.0	8.5	9.0	0.0	8.5	9.0	9.0	0.0	7.5	8.5	8.0	0.0	15			2
03B	0~3	7.0	8.0	8.0	0.0	5.0	7.5	8.0	0.0	7.5	8.5	8.0	0.0	6.5	7.5	7.0	0.0	15			3
04A	0~3	9.0	9.0	9.0	0.0	6.5	8.5	9.5	0.0	9.0	9.0	9.0	0.0	8.0	8.5	8.5	0.0	15			1
04B	0~3	8.5	9.0	9.0	0.0	6.0	8.5	9.0	0.0	8.5	9.0	9.0	0.0	7.5	8.5	8.0	0.0	15			2
05A	0~3	9.0	9.0	9.0	0.0	6.5	8.5	9.5	0.0					8.0	8.5	8.5	0.0	15			1
05B	0~3	8.0	8.5	8.5	0.0	5.5	8.0	8.5	0.0					7.0	8.0	8.0	0.0	15			2
06A	0~3	9.0	9.0	9.0	0.0	6.5	8.5	9.5	0.0					8.0	8.5	8.5	0.0	15			1
06B	0~3	8.5	9.0	9.0	0.0	6.0	8.5	9.0	0.0					7.5	8.5	8.0	0.0	15			2
07A	0~3	9.0	9.0	9.0	0.0	6.5	8.5	9.5	0.0	9.0	9.0	9.0	0.0	8.0	8.5	8.5	0.0	15			1
07B	0~3	8.5	9.0	9.0	0.0	6.0	8.5	9.0	0.0	8.5	9.0	9.0	0.0	7.5	8.5	8.0	0.0	15			2
08A	0~3	9.5	9.5	9.5	0.0	7.0	9.0	10.0	0.0					8.5	9.0	9.0	0.0	15			1
08B	0~3	9.0	9.0	9.0	0.0	6.5	8.5	9.5	0.0					8.0	8.5	8.5	0.0	15			1
08C	0~3	8.0	8.5	8.5	0.0	5.5	8.0	8.5	0.0					7.0	8.0	8.0	0.0	15			2
09A	0~3	10.0	10.0	10.0	0.0	7.5	9.0	10.0	0.0					9.0	9.0	9.0	0.0	15			1
09B	0~3	9.5	9.5	9.5	0.0	7.0	9.0	10.0	0.0					8.5	9.0	9.0	0.0	15			1
09C	0~3	8.0	8.5	8.5	0.0	5.5	8.0	8.5	0.0					7.0	8.0	8.0	0.0	15			2
10A	0~3	8.5	9.0	9.0	0.0	6.0	8.5	9.0	0.0					7.5	8.5	8.0	0.0	15			2
10B	0~3	8.0	8.5	8.5	0.0	5.5	8.0	8.5	0.0					7.0	8.0	8.0	0.0	15			2
10C	0~3	7.0	8.0	8.0	0.0	5.0	7.5	8.0	0.0					6.5	7.5	7.0	0.0	15			3
11A	0~3	9.0	9.0	9.0	0.0	6.5	8.5	9.5	0.0					8.0	8.5	8.5	0.0	15			1
11B	0~3	7.0	8.0	8.0	0.0	5.0	7.5	8.0	0.0	7.5	8.5	8.0	0.0	6.5	7.5	7.0	0.0	15			3
13A	0~3	8.0	8.5	8.5	0.0	5.5	8.0	8.5	0.0	8.0	8.5	8.5	0.0	7.0	8.0	8.0	0.0	15			
13B	0~3	7.0	8.0	8.0	0.0	5.0	7.5	8.0	0.0	7.5	8.5	8.0	0.0	6.5	7.5	7.0	0.0	15			3
14A	0~3	8.0	8.5	8.5	0.0	5.5	8.0	8.5	0.0					7.0	8.0	8.0	0.0	15			
14B	0~3	7.0	8.0	8.0	0.0	5.0	7.5	8.0	0.0					6.5	7.5	7.0	0.0	15			3
160	0~3	7.0	8.0	8.0	0.0	5.0	7.5	8.0	0.0	7.5	8.5	8.0	0.0	6.5	7.5	7.0	0.0	15			3

作目 ジョ-ト	作物 ジョ-ト	作物名	地帯 区分	作型 ジョ-ト	沖積土				泥炭土				火山性土				洪積土				分施率%分施回数					
					N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数		
2	01	秋まき小麦	01	0	10.0	12.0	9.0	3.0	7.0	14.0	10.0	5.0	10.0	14.0	9.0	5.0							60			1
			02	0	8.0	12.0	9.0	3.0	7.0	14.0	10.0	5.0	10.0	14.0	9.0	5.0							60			1
			03	0	10.0	12.0	9.0	3.0					10.0	15.0	10.0	5.0	10.0	14.0	9.0	5.0			60			1
			04	0	8.0	12.0	9.0	3.0	7.0	14.0	10.0	5.0	10.0	14.0	9.0	5.0							60			1
			05	0	10.0	12.0	9.0	3.0	7.0	14.0	10.0	5.0											60			1
			06	0	10.0	12.0	9.0	3.0	7.0	14.0	10.0	5.0											60			1
			07	0	10.0	12.0	9.0	3.0	8.0	14.0	10.0	5.0	10.0	15.0	10.0	5.0	10.0	14.0	9.0	5.0			60			1
			08	0	10.0	12.0	9.0	3.0	8.0	14.0	10.0	5.0					10.0	14.0	9.0	5.0			60			1
			09A	0	10.0	12.0	9.0	3.0	8.0	14.0	10.0	5.0	10.0	15.0	10.0	5.0	10.0	14.0	9.0	5.0			60			1
			09B	0	10.0	12.0	9.0	3.0					10.0	15.0	10.0	5.0	10.0	14.0	9.0	5.0			60			1
			10	0	10.0	12.0	9.0	3.0	8.0	14.0	10.0	5.0					10.0	14.0	9.0	5.0			60			1
			11	0	8.0	12.0	9.0	3.0									10.0	14.0	9.0	5.0			60			1
			13	0	12.0	12.0	9.0	3.0	7.0	14.0	10.0	5.0	12.0	15.0	10.0	5.0	12.0	14.0	9.0	5.0			60			1
			14	0	12.0	12.0	9.0	3.0	7.0	14.0	10.0	5.0	12.0	15.0	10.0	5.0	12.0	14.0	9.0	5.0			60			1
			15	0	9.0	12.0	9.0	3.0					10.0	15.0	10.0	5.0							60			1
			16	0	10.0	12.0	9.0	3.0					11.0	15.0	10.0	5.0							60			1
			17	0	9.0	12.0	9.0	3.0					9.0	15.0	10.0	5.0							60			1
2	02	春まき小麦	01	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0	8.0	15.0	8.0	5.0										
			02	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0	8.0	15.0	8.0	5.0										
			03	0	7.0	12.0	7.0	3.0					8.0	15.0	8.0	5.0	8.0	15.0	8.0	5.0						
			04	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0	8.0	15.0	8.0	5.0										
			05	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0														
			06	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0														
			07	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0	8.0	15.0	8.0	5.0	8.0	15.0	8.0	5.0						
			08	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0	8.0	15.0	8.0	5.0	8.0	15.0	8.0	5.0						
			09A	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0	8.0	15.0	8.0	5.0	8.0	15.0	8.0	5.0						
			09B	0	7.0	12.0	7.0	3.0					8.0	15.0	8.0	5.0	8.0	15.0	8.0	5.0						
			10	0	7.0	12.0	7.0	3.0	6.0	12.0	8.0	5.0	8.0	15.0	8.0	5.0	8.0	15.0	8.0	5.0						
			11	0	7.0	12.0	7.0	3.0																		
			13	0	10.0	12.0	8.0	3.0	6.0	15.0	10.0	5.0	10.0	15.0	10.0	5.0	10.0	15.0	10.0	5.0						
			14	0	10.0	12.0	8.0	3.0	6.0	15.0	10.0	5.0	10.0	15.0	10.0	5.0	10.0	15.0	10.0	5.0						
			15	0	7.0	12.0	7.0	3.0					8.0	15.0	8.0	5.0										
			16	0	7.0	12.0	7.0	3.0					8.0	15.0	8.0	5.0										
			17	0	7.0	12.0	7.0	3.0					8.0	15.0	8.0	5.0										

作目 コード	作物 コード	作物名	地帯 区分	作型 コード	沖積土				泥炭土				火山性土				洪積土				分施率%分施回数			
					N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数
			10	0	7.0	14.0	11.0	3.0	5.0	15.0	13.0	5.0					8.0	16.0	11.0	5.0				
			11	0	7.0	14.0	11.0	3.0	5.0	15.0	12.0	5.0					8.0	16.0	11.0	5.0				
			12A	0	6.0	14.0	10.0	3.0																
			12B	0	7.0	14.0	11.0	3.0																
			13	0	7.0	14.0	12.0	3.0	5.0	15.0	13.0	5.0	8.0	18.0	13.0	5.0	8.0	16.0	11.0	5.0				
			14	0	7.0	14.0	12.0	3.0	5.0	15.0	13.0	5.0	8.0	18.0	13.0	5.0	8.0	16.0	11.0	5.0				
			15	0	4.0	14.0	11.0	3.0					6.0	20.0	12.0	5.0								
			16	0	4.0	14.0	11.0	3.0					6.0	20.0	12.0	5.0								
			17	0	4.0	14.0	10.0	3.0	4.0	15.0	13.0	5.0	6.0	20.0	12.0	5.0	6.0	18.0	11.0	5.0				
			18A	0									6.0	20.0	12.0	5.0								
2	07	加工用ばれいしょ	01	0	7.0	14.0	10.0	3.0					8.0	18.0	11.0	5.0								
			03	0	8.0	14.0	11.0	3.0					9.0	18.0	12.0	5.0	9.0	18.0	11.0	5.0				
			05	0	8.0	14.0	11.0	3.0					9.0	18.0	12.0	5.0	9.0	18.0	11.0	5.0				
			06	0	7.0	14.0	10.0	3.0					8.0	18.0	11.0	5.0								
			07	0	8.0	14.0	11.0	3.0					9.0	18.0	12.0	5.0								
			09A	0	6.0	14.0	10.0	3.0					8.0	18.0	10.0	5.0	8.0	18.0	10.0	5.0				
			09B	0	6.0	14.0	10.0	3.0					8.0	18.0	10.0	5.0	8.0	18.0	10.0	5.0				
			10	0	6.0	14.0	10.0	3.0								8.0	18.0	11.0	5.0					
			13	0	7.0	14.0	11.0	3.0					8.0	18.0	12.0	5.0	8.0	18.0	11.0	5.0				
			14	0	7.0	14.0	11.0	3.0					8.0	18.0	12.0	5.0	8.0	18.0	11.0	5.0				
			15	0	4.0	14.0	10.0	3.0					6.0	20.0	10.0	5.0								
			16	0	4.0	14.0	10.0	3.0					6.0	20.0	11.0	5.0								
			17	0	4.0	14.0	10.0	3.0					6.0	20.0	11.0	5.0								
2	08	大豆	01	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0	2.0	15.0	8.0	5.0	2.0	12.0	8.0	5.0				
			02	0	1.5	11.0	8.0	3.0					2.0	15.0	8.0	5.0								
			03	0	1.5	11.0	8.0	3.0					2.0	15.0	8.0	5.0								
			04	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0	2.0	15.0	8.0	5.0	2.0	12.0	8.0	5.0				
			05	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0	2.0	15.0	8.0	5.0	2.0	12.0	8.0	5.0				
			06	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0					2.0	12.0	8.0	5.0				
			07	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0	2.0	15.0	8.0	5.0	2.0	12.0	8.0	5.0				
			08	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0					2.0	12.0	8.0	5.0				
			09A	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0	2.0	15.0	8.0	5.0	2.0	12.0	8.0	5.0				
			09B	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0	2.0	15.0	8.0	5.0	2.0	12.0	8.0	5.0				
			10	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0					2.0	12.0	8.0	5.0				
			11	0	1.5	11.0	8.0	3.0	1.5	12.0	10.0	5.0					2.0	12.0	8.0	5.0				
			13	0	1.5	13.0	8.0	3.0	1.5	15.0	10.0	5.0	2.0	20.0	8.0	5.0	2.0	18.0	8.0	5.0				

作目 コ-ト	作物 コ-ト	作物名	地帯 区分	作型 コ-ト	沖積土				泥炭土				火山性土				洪積土				分施率%分施回数			
					N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数
			14	0	1.5	13.0	8.0	3.0	1.5	15.0	10.0	5.0	2.0	20.0	8.0	5.0	2.0	18.0	8.0	5.0				
			15	0	1.5	13.0	8.0	3.0	1.5	15.0	10.0	5.0	2.0	20.0	8.0	5.0								
			16	0	1.5	13.0	8.0	3.0	1.5	15.0	10.0	5.0	2.0	20.0	8.0	5.0								
			17	0	1.5	13.0	8.0	3.0	1.5	15.0	10.0	5.0	2.0	20.0	8.0	5.0								
2	09	小豆(えん豆)	01	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0	4.0	15.0	8.0	5.0	4.0	15.0	8.0	5.0				
			02	0	3.0	10.0	7.0	3.0					4.0	15.0	8.0	5.0								
			03	0	3.0	10.0	7.0	3.0					4.0	15.0	8.0	5.0								
			04	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0	4.0	15.0	8.0	5.0	3.0	15.0	8.0	5.0				
			05	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0	3.0	15.0	8.0	5.0	3.0	15.0	8.0	5.0				
			06	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0					4.0	15.0	8.0	5.0				
			07	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0	3.0	15.0	8.0	5.0	3.0	15.0	8.0	5.0				
			08	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0					4.0	15.0	8.0	5.0				
			09A	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0	4.0	15.0	8.0	5.0	4.0	15.0	8.0	5.0				
			09B	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0	4.0	15.0	8.0	5.0	4.0	15.0	8.0	5.0				
			10	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0					4.0	15.0	8.0	5.0				
			11	0	3.0	10.0	7.0	3.0	2.0	12.0	10.0	5.0					3.0	15.0	8.0	5.0				
			13	0	3.0	13.0	7.0	3.0	2.0	15.0	10.0	5.0	4.0	20.0	8.0	5.0	3.0	18.0	8.0	5.0				
			14	0	3.0	13.0	7.0	3.0	2.0	15.0	10.0	5.0	4.0	20.0	8.0	5.0	4.0	18.0	8.0	5.0				
			15	0	3.0	13.0	7.0	3.0					4.0	20.0	8.0	5.0								
			16	0	3.0	13.0	7.0	3.0	2.0	15.0	10.0	5.0	4.0	20.0	8.0	5.0								
			17	0	3.0	13.0	7.0	3.0	2.0	15.0	10.0	5.0	4.0	20.0	8.0	5.0								
2	10	菜豆	01	0	3.5	9.0	8.0	3.0					3.5	15.0	8.0	5.0	3.0	12.0	8.0	5.0				
			03	0	3.0	9.0	8.0	3.0					4.0	15.0	8.0	5.0								
			05	0	3.0	10.0	8.0	3.0									3.0	12.0	8.0	5.0				
			06	0	3.5	10.0	8.0	3.0	2.5	12.0	10.0	5.0					3.5	12.0	8.0	5.0				
			07	0	3.5	10.0	8.0	3.0	2.0	12.0	10.0	5.0	4.0	15.0	8.0	5.0	3.5	12.0	8.0	5.0				
			08	0	4.0	10.0	8.0	3.0	2.5	12.0	10.0	5.0					4.0	12.0	8.0	5.0				
			09A	0	4.0	10.0	8.0	3.0	2.5	12.0	10.0	5.0	4.0	15.0	8.0	5.0	4.0	12.0	8.0	5.0				
			09B	0	4.0	10.0	8.0	3.0	2.5	12.0	10.0	5.0	4.0	15.0	8.0	5.0	4.0	12.0	8.0	5.0				
			10	0	4.0	10.0	8.0	3.0	2.5	12.0	10.0	5.0					4.0	12.0	8.0	5.0				
			11	0	4.0	10.0	8.0	3.0	2.5	12.0	10.0	5.0					4.0	12.0	8.0	5.0				
			13	0	4.0	13.0	8.0	3.0	2.5	15.0	10.0	5.0	4.0	18.0	8.0	5.0	4.0	15.0	8.0	5.0				
			14	0	4.0	13.0	8.0	3.0	2.5	15.0	10.0	5.0	4.0	18.0	8.0	5.0	4.0	15.0	8.0	5.0				
			15	0	4.0	13.0	8.0	3.0					4.0	18.0	8.0	5.0								
			16	0	4.0	13.0	8.0	3.0	2.0	15.0	10.0	5.0	4.0	18.0	8.0	5.0								
			17	0	4.0	13.0	8.0	3.0	2.0	15.0	10.0	5.0	4.0	18.0	8.0	5.0								

作目 コード	作物 コード	作物名	地帯 区分	作型 コード	沖積土				泥炭土				火山性土				洪積土				分施率%分施回数															
					N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数												
3	01	スイートコーン	0	1	15.0	15.0	13.0	4.0	12.0	15.0	13.0	4.0	15.0	15.0	13.0	4.0	15.0	15.0	13.0	4.0	40			1												
				2	15.0	15.0	13.0	4.0	12.0	20.0	13.0	4.0	15.0	24.0	13.0	4.0	15.0	22.0	13.0	4.0																
				3	15.0	15.0	13.0	4.0	12.0	20.0	13.0	4.0	15.0	24.0	13.0	4.0	15.0	22.0	13.0	4.0																
				4	15.0	15.0	13.0	4.0	12.0	20.0	13.0	4.0	15.0	24.0	13.0	4.0	15.0	22.0	13.0	4.0																
3	02	きゅうり	0	1	20.0	20.0	20.0	6.0																												
				2	20.0	20.0	20.0	6.0																												
				3	20.0	20.0	20.0	6.0																												
				4	20.0	15.0	15.0	6.0																												
3	03	トマト	0	1	20.0	20.0	20.0	6.0																												
				2	20.0	20.0	20.0	6.0																												
				3	20.0	12.0	12.0	6.0																												
3	04	なす	0	1	15.0	20.0	10.0	2.0																												
2	15.0	20.0	10.0	2.0																																
3	05	ピーマン	0	1	15.0	20.0	10.0	5.0																												
				2	15.0	20.0	10.0	5.0																												
				3	15.0	20.0	10.0	5.0																												
3	06	プリンスメロン	0	1	10.0	18.0	12.0	3.0																												
3	07	メロン	0	1	15.0	20.0	17.0	3.0																	14.0	22.0	16.0	3.0	50	50	1					
3	08	すいか	0	1	12.0	15.0	15.0	3.0																												
				2	15.0	20.0	17.0	3.0																	18.0	25.0	20.0	3.0	30	30	1					
				3	15.0	20.0	17.0	3.0																	18.0	25.0	20.0	3.0	30	30	1					
3	09	かぼちゃ	0	1	8.0	10.0	8.0	3.0																												
				2	8.0	10.0	8.0	3.0																	10.0	15.0	12.0	3.0	40	40	1					
				3	8.0	10.0	8.0	3.0																	10.0	15.0	12.0	3.0	40	40	1					
3	10	いちご	0	1	20.0	10.0	25.0	2.0																												
				2	15.0	10.0	15.0	2.0																	20.0	10.0	25.0	2.0	50	60	1					
				3	15.0	20.0	15.0	2.0																	20.0	10.0	20.0	2.0	30	50	30	1				
3	11	キャベツ	0	1	14.0	14.0	12.0	3.0	11.0	14.0	12.0	3.0																								
				2	14.0	14.0	12.0	3.0	11.0	14.0	12.0	3.0													30	30	1									
				3	20.0	14.0	18.0	3.0	16.0	14.0	18.0	3.0													30	30	1									
				4	22.0	15.0	20.0	3.0	18.0	15.0	20.0	3.0													30	30	1									
3	12	はくさい	0	1	18.0	15.0	16.0	3.0	14.0	15.0	16.0	3.0																								
				2	20.0	17.0	18.0	3.0	16.0	17.0	18.0	3.0																								
				3	22.0	18.0	20.0	3.0	18.0	18.0	20.0	3.0																								
				4	25.0	20.0	20.0	3.0	20.0	20.0	22.0	3.0													20	20	1									

作目 コード	作物 コード	作物名	地帯 区分	作型 コード	沖積土				泥炭土				火山性土			洪積土				分施率%分施回数					
					N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数	
5	05	醸造用ぶどう	1	1	10.0	7.0	10.0	4.0	10.0	7.0	10.0	4.0	10.0	7.0	10.0	4.0	10.0	7.0	10.0	4.0					
				1	2	6.0	4.0	6.0	4.0	6.0	4.0	6.0	4.0	6.0	4.0	6.0	4.0	6.0	4.0	6.0	4.0				
				1	3	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0				
				2	1	8.0	6.0	8.0	4.0	8.0	6.0	8.0	4.0	8.0	6.0	8.0	4.0	8.0	6.0	8.0	4.0				
				2	2	5.0	3.0	5.0	4.0	5.0	3.0	5.0	4.0	5.0	3.0	5.0	4.0	5.0	3.0	5.0	4.0				
				2	3	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0				
				3	1	8.0	6.0	8.0	4.0	8.0	6.0	8.0	4.0	8.0	6.0	8.0	4.0	8.0	6.0	8.0	4.0				
				3	2	5.0	3.0	5.0	4.0	5.0	3.0	5.0	4.0	5.0	3.0	5.0	4.0	5.0	3.0	5.0	4.0				
				3	3	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0	3.0	2.0	3.0	4.0				
5	06	おうとう	1	1	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	30	30	30	1	
				1	2	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
				1	3	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0				
				2	1	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	30	30	30	1
				2	2	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
				2	3	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0				
				3	1	10.0	7.0	10.0	0.0	10.0	7.0	10.0	0.0	10.0	7.0	10.0	0.0	10.0	7.0	10.0	0.0	30	30	30	1
				3	2	7.0	5.0	7.0	0.0	7.0	5.0	7.0	0.0	7.0	5.0	7.0	0.0	7.0	5.0	7.0	0.0				
				3	3	4.0	3.0	4.0	0.0	4.0	3.0	4.0	0.0	4.0	3.0	4.0	0.0	4.0	3.0	4.0	0.0				
5	07	くり	1	1	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0					
				1	2	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0				
				2	1	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
5	08	すもも	1	1	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0					
				1	2	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
				1	3	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0				
				2	1	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0				
				2	2	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
5	09	ブルー	1	1	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0					
				1	2	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
				1	3	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0				
				2	1	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0	12.0	8.0	12.0	0.0				
				2	2	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
				2	3	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0	5.0	4.0	5.0	0.0				

作目 コード	作物 コード	作物名	地帯 区分	作型 コード	沖積土				泥炭土				火山性土				洪積土				分施率%分施回数			
					N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	M	N	P	K	回数
5	10	ハスカップ	0	1	8.0	8.0	8.0	0.0	8.0	8.0	8.0	0.0	8.0	8.0	8.0	0.0	8.0	8.0	8.0	0.0				
				2	6.0	6.0	6.0	0.0	6.0	6.0	6.0	0.0	6.0	6.0	6.0	0.0	6.0	6.0	6.0	0.0				
				3	3.0	3.0	3.0	0.0	3.0	3.0	3.0	0.0	3.0	3.0	3.0	0.0	3.0	3.0	3.0	0.0				
5	11	ブルーベリー	1	1	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
				2	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0				
				3	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0				
				2	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0	8.0	6.0	8.0	0.0				
				2	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0				
				3	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0				
				3	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0				
				3	4.0	3.0	4.0	0.0	4.0	3.0	4.0	0.0	4.0	3.0	4.0	0.0	4.0	3.0	4.0	0.0				
				3	3.0	2.0	3.0	0.0	3.0	2.0	3.0	0.0	3.0	2.0	3.0	0.0	3.0	2.0	3.0	0.0				
5	12	きいちご	1	1	10.0	10.0	10.0	0.0	10.0	10.0	10.0	0.0	10.0	10.0	10.0	0.0	10.0	10.0	10.0	0.0				
				2	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0				
				3	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0				
				2	10.0	10.0	10.0	0.0	10.0	10.0	10.0	0.0	10.0	10.0	10.0	0.0	10.0	10.0	10.0	0.0				
				2	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0				
				3	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0				
				3	8.0	8.0	8.0	0.0	8.0	8.0	8.0	0.0	8.0	8.0	8.0	0.0	8.0	8.0	8.0	0.0				
				3	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0				
				3	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0				
5	13	カーランツ	0	1	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0				
				2	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0				
				3	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0				
5	14	グーズベリー	0	1	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0	10.0	8.0	10.0	0.0				
				2	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0	6.0	4.0	6.0	0.0				
				3	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0	4.0	2.0	3.0	0.0				

