

SCIENTIFIC REPORTS
OF
HOKKAIDO FISHERIES EXPERIMENTAL STATION
No.30~50
CONTENTS

No.30(March,1988)

- A-144 Osamu TOMINAGA, Mikio KOIKE, Masaki TAMURA, Hiroya MIYAKE and Yukio MIHARA
 Production ecology of demersal fishes in Ishikari Bay, Hokkaido I
 Community structure and grouping of distributional pattern of
 demersal fishes in spring 1- 18
- A-145 Yuji TANAKA
 Ecology of Japanese flying squid, *Todarodes pacificus* (STEENSTRUP),
 in northern Hokkaido waters I
 Juveniles found in the stomach of masu salmon,
Oncorhynchus masou (BREVOORT), in winter 19-23
- A-146 Yoshihiro IMAI
 Biological characters of a remarkably large-sized saury,
Cololabis saira, caught in the southeastern waters of Hokkaido 25-32
- A-147 Yukio AGATSUMA, Satoshi MOTOYA and Yoshio SUGAWARA
 Reproductive cycle and food ingestion of the sea urchin,
Strongylocentrotus nudus (A. AGASSIZ), in southern Hokkaido I
 Seasonal changes of the gonad 33-41
- A-148 Yukio AGATSUMA and Yoshio SUGAWARA
 Reproductive cycle and food ingestion of the sea urchin,
Strongylocentrotus nudus (A. AGASSIZ), in southern Hokkaido II
 Seasonal changes of the gut content and test weight 43-49

No.31(October,1988)

- A-149 Masayoshi SASAKI
 Movement of two-year-old Arabesque greenling,
Pleurogrammus azonus, in the northern Japan Sea suggested
 by the results of tagging experiments 1- 7
- A-150 Kenji KAWAMATA
 Gonadal development of cultured scallops, *Patinopecten*
yessoensis (JAY), off Rumoi, Hokkaido 9-13
- A-151 Yukio AGATSUMA and Haruhiro MOMMA
 Release of cultured seeds of the sea urchin, *Strongylocentrotus*
intermedius (A. AGASSIZ), in the Pacific coastal waters of
 southern Hokkaido I
 Growth and reproductive cycle 15-25
- A-152 Kouji TSUJI and Hajime NISHIDA

	Seasonal changes in biochemical composition of the scallop, <i>Patinopecten yessoensis</i> in Nemuro Bay, Hokkaido.....	27-54
A-153	Akihiko FUKUSHI Seasonal variations of components in different parts of cultivated Japanese kelp (<i>Laminaria japonica</i>)	55-61
A-154	Masahiko KITAGAWA and Kouhei NISHI Studies on the extrusion cooking of marine products II Characteristics of sardine extrudates	63-75
A-155	Hiroshi NOMATA and Tadashi OHORI Utilization of stick water in the manufacturing process of fish meal from Japanese sardine IV Utilization of ultrafiltration for manufacturing of natural seasoning	77-85

No.32(March,1989)

A-156	Shiro TAKAYANAGI Northward migration of Japanese flying squid, <i>Todarodes pacificus</i> (STEENSTRUP), in the Japan Sea off northern Honshu in the early summer	1-10
A-157	Shin-ichi NABATA Ecological studies on zoospores of <i>Laminaria</i> I A quantitative method to examine zoospores of <i>Laminaria</i> in the sea	11-17
A-158	Masahiko KITAGAWA and Kouhei NISHI Studies on the extrusion cooking of marine products III Effect of various extrusion conditions on freeze-pulverized-BUNASAKE (fall chum salmon)	19-32

No.33(September,1989)

A-159	Masaaki FUKUDA and Hideo YOSHIDA Retinal structure and retinomotor response in one-year-old walleye pollock <i>Theragra chalcogramma</i>	1- 8
A-160	Yukio AGATSUMA, Tadahiko HAYASHI and Masafumi UCHIDA Seasonal larval occurrence and spawning season of two sea urchins, <i>Strongylocentrotus intermedius</i> and <i>S.nudus</i> , in southern Hokkaido	9-20
A-161	Ken-ichiro TAJIMA and Makoto FUKUCHI Studies on the artificial seed production of the sea urchin, <i>Strongylocentrotus intermedius</i> I The growth of early juveniles in winter	21-29
A-162	Hiromi KANEKO and Yuji KAWAI Effect of NaCl concentration on the rheological properties of emulsion and its heat-induced gel made from fall chum salmon (<i>Oncorhynchus keta</i>) muscle	31-39

- A-163 Masahiro SAKAMOTO, Masanao NARITA and Kazuo TORIYABE
 The manufacture of chips from Arabesque greenling 41-49

No.34 (March, 1990)

- A-164 Setsuo SAITO, Atsuko SASAKI, LI Hai-Ou, Motohiro SHIMIZU and Juro YAMADA
 Effects of low salinities on the growth and metabolism of
 juvenile Japanese flounder (*Paralichthys olivaceus*) 1- 8
- A-165 Tatsunari MORI, Muneharu KUSAKARI, Kouki MIURA, Setsuo SAITO and Kanji NAKAJIMA
 The amount of feeding for Japanese flounder (*Paralichthys olivaceus*)
 larvae reared on rotifers and *Artemia* nauplii 9-20
- A-166 Koji TSUJI and Yuji KAWAI
 Effect of heat-treatment of rheological properties of chum salmon
 Oncorhynchus keta muscle in association with the maturation 21-32

No.35 (September, 1990)

- A-167 Takashi KOBAYASHI
 Fluctuations in the fishing conditions of the large sized Pacific saury,
 Cololabis saira (BREVOORT), in the northwestern North Pacific Ocean 1-28
- A-168 Jun SASAKI and Isamu NAHIRA
 A new sampling gear for young hair crabs, *Erimacrus isenbeckii* (BRANDT) 29-36
- A-169 Eiji ABE, Shin-ichi NABATA and the late Masahiro KAKIUCHI
 Inhibition of community formation of *Laminaria religiosa* 37-60
- A-170 Kazuko DOMON and Masaru TORISAWA
 Diel changes in the number of juvenile Arabesque greenling,
 Pleurogrammus azonus, collected with a surface larva net 61-62
- A-171 Jun SASAKI, Hiroya MIYAKE and Takayuki HONMA
 Use of an underwater television to observe young hair crabs,
 Erimacrus isenbeckii (BRANDT), in the field 63-64

No.36 (March, 1991)

- A-172 Yoshiyuki UEDA
 Mesh selectivity of gillnets for spawners of the walleye pollock,
 Theragra chalcogramma (PALLAS), in the northern waters of the
 Nemuro Strait of eastern Hokkaido, Japan I
 Estimation of the mesh selectivity curves and correction of
 the age and body length composition 1-11
- A-173 Osamu TOMINAGA
 Drastic increase in catch of yellow goosefish, *Lophius litulon*,
 in the coastal waters of western Hokkaido in 1989 13-17
- A-174 Shin-ichi NABATA
 List of marine algae from the Shiribeshi coast of Hokkaido 19-38

A-175	Izumi SAKURAI, Tateki MIYAMOTO and Kazuhiro TAKAHASHI Environmental characteristics and distribution of young, bivalves in Japanese surf clam bed off Tomakomai coast, Hokkaido	39-59
A-176	Ken-ichiro TAJIMA, Koetsu YAMASHITA and Makoto FUKUCHI Studies on the artificial seed production of the sea urchin, <i>Strongylocentrotus intermedius</i> II The collection of metamorphosed larvae	61-70
A-177	Setsuo SAITO, Tatsunari MORI, Muneharu KUSAKARI and Kouki MIURA Studies on the spawning of Japanese flounder (<i>Paralichthys olivaceus</i>) I Induction of spawning of Japanese flounder by manipulation of water temperature	71-89
A-178	Masahiko KITAGAWA, Toshiyuki IIDA and Shigeharu NOBUTA Studies on the extrusion cooking of marine products IV Comparison between the SDS-gel filtration pattern and the SDS-PAGE pattern of the extrudates obtained under the different extrusion conditions	81-94
A-179	Tatsuya TAKAMI Abnormal Japanese flying squid, <i>Todarodes pacificus</i> STEENSTRUP, with a short mantle	95-96
A-180	Yoshihiro IMAI and Haruhiko NARITA A new tagging method for pacific saury, <i>Cololabis saira</i> (BREVOORT)	97-99

No.37 (November, 1991)

A-181	Tatsuya TAKAMI and Shiro TAKAYANAGI Differences in recapture rate between anchor tags for the Japanese flying squid	1- 4
A-182	Yukihiko NAKAME Reproductive cycle and growth of pink shrimp, <i>Pandalus borealis</i> , around Musashi Bank in Japan Sea off Hokkaido, Japan ..	5-16
A-183	Hiroya MIYAKE and Nobuyuki NAKAYAMA Age and growth of Pacific cod (<i>Gadus macrocephalus</i>) in the Musashi Bank, northern Japan Sea	17-25
A-184	Yoshiyuki UEDA Mesh selectivity of gillnets for spawners of the walleye pollock, <i>Theragra chalcogramma</i> , in the northern waters of the Nemuro Strait of eastern Hokkaido, Japan II Design of the non-mesh-selective gillnets for researches, and results of the experimental operations	27-35
A-185	Mamoru KURATA, Hiroshi HOSHIKAWA and Yuji NISHIHAMA Feeding rate of the Japanese scallop <i>Patinopecten yessoensis</i> in suspended cages in Lagoon Saroma-ko	37-57
A-186	Yukio AGATSUMA and Takafumi NISHIKIORI Gonad development of the northern sea urchin,	

Strongylocentrotus nudus, that experimentally fed fishes I

	Gonad development	59-66
A-187	Takayuki HONMA and Yoshihiro IMAI Reoccurrence of <i>Pennella</i> sp. (Copepoda) on the saury, <i>Cololabis saira</i> , in 1990.....	67-69

No.38(March,1992)

A-188	Shin-ichi NABATA, Eiji ABE and the late Masahiro KAKIUCHI On the 'Isoyake' condition in Taisei-cho, southwestern Hokkaido	1-14
A-189	Kanji NAKAJIMA Substrata preference on juvenile horse crab <i>Erimacrus isenbeckii</i>	15-21
A-190	Tomoki OHTA, Hiroshi NOMATA, Tadaaki TAKEDA, Hiromi KANEKO, Toshiyuki IIDA and Shigeharu NOBUTA Studies on shellfish poison of scallop <i>Patinopecten yessoensis</i> I Reduction in toxicity of PSP infested scallops during extrusion processing ...	23-30

No.39(October,1992)

A-191	Yuji NISHIHAMA and Hiroshi HOSHIKAWA Distribution of grain-size composition and organic carbon content of bottom deposits in Lake Saroma, Hokkaido	1- 9
A-192	Takashi HORII, Masaki TAMURA and Tomohiro OHTSUKI Oceanographic condition and diatoms distribution in the Okhotsk Sea coast of Hokkaido in March, 1989.....	11-19
A-193	Yasuhiro WATANABE Maturity and spawning of Tanner crab, <i>Chionoecetes bairdi</i> RATHBUN, in the Pacific coast of southern Hokkaido	21-34
A-194	Motohito YAMAGUCHI and Takayuki HONMA Parasitological study of the migration route of the Pacific saury, <i>cololabis saira</i> , to the Okhotsk Sea	35-44
A-195	Izumi SAKURAI, Tateki MIYAMOTO and Mamoru KURATA Breeding season of the Japanese surf clam <i>Pseudocardium</i> <i>Sybillae</i> in Tomakomai and Shizunai, southwest Hokkaido	45-52
A-196	Toshihiro MIZUSHIMA Seasonal changes in the distribution and population structure of <i>Pandalus kessleri</i>	53-63

No.40(March,1993)

A-197	Motohito YAMAGUCHI Decadal mean oceanographic conditions in the southwestern part of the Okhotsk Sea from 1983 to 1992.....	1-19
A-198	Yukio AGATSUMA, Akifumi NAKATA and Keiji MATSUYAMA	

	Feeding and assimilation of the sea urchin, <i>Strongylocentrotus nudus</i> , for <i>Laminaria religiosa</i>	21- 29
A-199	Hiroshi NOMATA, Kohji EBITANI and Tadashi OHORI The behavior of heavy metals in the manufacturing process of extract from scallop digestive glands	31- 42
A-200	Kazuo HIRANO Counting and sizing of zooplankton with EPSCS	43- 45

No.41 (March, 1993)

A-201	Setsuo SAITO Studies on the Anatomy and Microstructure of the Inner Ear of Tilapia (<i>Oreochromis niloticus</i>), with special reference to the Otolith Growth in the Otolithic Organ	1- 84
-------	---	-------

No.42 (December, 1993)

A-202	Tatsuaki MAEDA, Shogo TAKAGI, Yoshihiko KAMEI, Yoshiyuki KAJIWARA, Toshimi MEGURO and Toshikuni NAKATANI History and methodology of walleye pollock studies	1- 14
A-203	Toshikuni NAKATANI and Tatsuaki MAEDA Early life history of walleye pollock	15- 22
A-204	Tsutomu HARYU Larval development of five species of gadid fishes (Review).....	23- 36
A-205	Akira NISHIMURA Age determination of walleye pollock based on the otoliths (Review).....	37- 49
A-206	Yasunori SAKURAI Reproductive characteristics and spawning strategies of walleye pollock, <i>Theragra chalcogramma</i>	51- 68
A-207	Kazuya NAGASAWA Parasites of gadid fishes in Japanese waters (Review and bibliography).....	69- 89
A-208	Hiroki YAGI and Takashi MUTOH Recent aspect of the distribution of eggs, larvae and postlarvae of the walleye pollock <i>Theragra chalcogramma</i> (Pallas) for the season of 1990-91 to 91-92 in Iwanai Bay (Japan Sea), Hokkaido	91-100
A-209	Mitsuhiko SANO, Masayoshi SASAKI, Hitoshi UTOH, Mikio KOIKE, Akira SASAKI and Masanao OSAKO Estimation of spawned eggs and parents stock of walleye pollock, <i>Theragra chalcogramma</i> (Pallas), in the Nemuro Strait, Hokkaido	101-111
A-210	Hiroya MIYAKE, Keiji HAMABAYASHI, Masanori ISHIGAME and Mitsuhiko SANO Recent sharp decrease in walleye pollock egg abundance in the Nemuro Strait, Hokkaido	113-119
A-211	Tsutomu HARYU and Tsuneo NISHIYAMA Postlarval morphology of walleye pollock, <i>Theragra chalcogramma</i> (Pallas)	

	and Arctic cod, <i>Boreogadus saida</i> (Lepechin)	121-133
A-212	Masashi NATSUME and Masayoshi SASAKI Ecology of walleye pollock, <i>Theragra chalcogramma</i> , larvae and juveniles in the Sea of Japan off northern Hokkaido - I Horizontal distribution and hatching season	135-142
A-213	Masashi NATSUME and Masayoshi SASAKI Ecology of walleye pollock, <i>Theragra chalcogramma</i> , larvae and juveniles in the Sea of Japan off northern Hokkaido - II Diel depth distribution and gear efficiency of beam trawl net	143-148
A-214	Masashi NATSUME and Masayoshi SASAKI Ecology of walleye pollock, <i>Theragra chalcogramma</i> , larvae and juveniles in the Sea of Japan off northern Hokkaido - III Best season for sampling by beam trawl net	149-155
A-215	Masayoshi SASAKI and Kazuya NAGASAWA Distribution of young walleye pollock <i>Theragra chalcogramma</i> in Pacific waters off southwestern Hokkaido	157-164
A-216	Yoshiyuki UEDA Mesh selectivity of gillnets for spawners of the walleye pollock, <i>Theragra chalcogramma</i> (Pallas), in the northern waters of the Nemuro Strait of eastern Hokkaido, Japan 3. Estimation of the mesh selectivity curves using body girth	165-175
A-217	Nobuyuki TANAKA Annual changes of catch, length frequency distribution and the age composition of walleye pollock, <i>Theragra chalcogramma</i> , caught by set net in the Pacific coast of southern Hokkaido	177-181
A-218	Masami MIZUNO and Masashi NATSUME Biological characteristics of walleye pollock, <i>Theragra chalcogramma</i> , off the west coast of Sakhalin in spawning season	183-190
A-219	Larisa Mihajlovna ZVERKOVA The study of the reproduction features and status of stock of "Okhotsk Sea" walleye pollock population	191-195
A-220	Larisa Mihajlovna ZVERKOVA Reproduction level of North Japan- Sea walleye pollock population off sakhalin at present	197-202
A-221	Kengo ISHINO Stock structure of the southwestern Okhotsk Sea walleye pollock, <i>Theragra chalcogramma</i> , during the feeding migration based on the vertebral number	203-213
A-222	Hitoshi UTOH and Masashi NATSUME Regional difference of age-composition of walleye pollock, <i>Theragra chalcogramma</i> , from the Japan Sea coast of Hokkaido and an interpretation for its cause	215-228
A-223	Tadashi INADA and Mayumi MURAKAMI Fluctuations of walleye pollock and Pacific cod resources and bottom	

	temperature in the waters off the Tohoku region of Japan	229-240
A-224	Orio YAMAMURA, Tadashi INADA and Kenji SHIMAZAKI Demersal fish assemblages and macro habitat niche overlaps among gadiform dominant species off Sendai Bay, north Japan	241-250
A-225	Are-Lang CHEN and Yasunori SAKURAI Age and growth of saffron cod (<i>Eleginops gracilis</i>)	251-264
A-226	Tsutomu HATTORI, Yasunori SAKURAI and Kenji SHIMAZAKI Maturity and reproductive cycle based on the spermatogenesis of male Pacific cod, <i>Gadus macrocephalus</i> , in waters adjacent to the southern coast of Hokkaido, Japan	265-272
A-227	Hideo YOSHIDA, Are-Lang CHEN and Yasunori SAKURAI The rate of elimination of food from the stomachs of adult walleye pollock (<i>Theragra chalcogramma</i>) and immature saffron cod (<i>Eleginops gracilis</i>) in captivity	273-282
A-228	Satoshi YAMAUCHI, Shoi KONO, Masaru SAKURAI and Masayuki KOBAYASHI Artificial propagation of Pacific cod in Esan, southern Hokkaido	283-294

No.43(December,1993)

A-229	Yoshihiro IMAI Otolith and scale characteristics of Pacific saury, <i>Cololabis saira</i> , based on otolith type, in the eastern waters off Hokkaido	1- 10
A-230	Yoshihiro IMAI Body length, condition factor and gonado-somatic index characteristics of otolith type of Pacific saury, <i>Cololabis saira</i> , in the eastern waters off Hokkaido	11- 24
A-231	Shin-ichi NABATA, Eiji ABE and the late Masahiro KAKIUCHI Ecological study and transplanting experiment of the biennial plants of <i>Laminaria</i> on the coast of Isoya, Suttu, southwestern Hokkaido, Japan	25- 35
A-232	Shingo ASO and Takuma IMAMURA Distribution of paralytic shellfish poison from some species of marine animals in Funka Bay and the coast of Hidaka District, 1992.....	37- 43
A-233	Hiroshi HOSHIKAWA and Satoshi MOTOYA Relation between the number of released abalone, <i>Haliotis discus hannai</i> INO, on the surface and underside of boulders in the artificial beds (Short paper)	45- 48

No.44(March,1994)

A-234	Yukio MIHARA Distribution of eggs and larvae of Japanese Anchovy, <i>Engraulis japonica</i> , off southeastern Hokkaido	1- 8
A-235	Yoshihiko NAKAGAWA and Hiroshi ITOH Growth and setting season in early stage of Japanese littleneck, <i>Tapes philippinarum</i> in Notsuke Bay of eastern Hokkaido	9- 18

A-236	Kouki MIURA, Muneharu KUSAKARI and Kazunori TAKANO Distinction of the sex of Japanese flounder <i>Paralichthys olivaceus</i> , using immunodiffusion test	19-23
A-237	Yukihiro NAKAME and Takashi SUGIMOTO Growth of 0-year-old humpback shrimp, <i>Pandalus hypsinotus</i> , reared in the underwater net cages (Short paper)	25-27
A-238	Osamu TOMINAGA and Yasuhiro WATANABE Movement of the tagged pointhead flounder <i>Hippoglossoides pinetorum</i> off Tomari, Shiribeshi, Hokkaido (Short paper)	29-31
A-239	Nobuyuki TANAKA Fisheries of pointhead flounder, <i>Hippoglossoides pinetorum</i> (Jordan et starks), in the coastal waters of the Cape Yagoshi in southern Hokkaido, Japan (Short paper)	33-35

No.45 (November, 1994)

A-240	Hideo YOSHIDA Food and feeding habits of pelagic walleye pollock in the central Bering Sea in summer, 1976-1980.....	1-35
A-241	Kenji KAWAMATA Gonadal development of cultured scallops, <i>Patinopecten yessoensis</i> (JAY), in Lake Saroma, Hokkaido	37-44
A-242	Eiji ABE and Masahide TADA The Ecology of a Sea Urchin, <i>Strongylocentrotus intermedius</i> (A.A.CASSIZ) on the Coast of Okhotsk Sea in Hokkaido	45-56
A-243	Takafumi NISHIKIORI and Haruo TAKAHASHI The muscle autolysis of chum salmon <i>Oncorhynchus keta</i> caught along the coast of Kushiro, Hokkaido	57-64

No.46 (March, 1995)

A-244	Tatsunari MORI, Kenji KAWAMATA, Shinya MIZUNO, Shinji ADACHI and Kohei YAMAUCHI The feminization of the barfin flounder, <i>Verasper moseri</i> by oral administration of estradiol-17 β	1- 6
A-245	Hiroshi HOSHIKAWA, Kazuhiro TAKAHASHI, Yukihiko KONNO and Tooru MIYAGAWA Growth estimates by the size distribution of sea cucumber, <i>Stichopus japonicus</i> selenka, in the artificial pools in Toyosaki, Minamikayabe-chou, southern Hokkaido	7-14
A-246	Toshihiro MIZUSHIMA Effect of Rearing temperature on Growth and Survival of <i>Pandalopsis japonica</i> Larvae (Short paper)	15-18
A-247	Jun SASAKI The size at sexual maturity of female hair crab, <i>Erimacrus isenbeckii</i> (Brandt) (Decapoda:Brachyura), estimated by presence of plugs, in the	

northwestern North Pacific off Hokkaido (Short paper)	19- 21
---	--------

No.47 (December, 1995)

- A-248 Masashi NATSUME
Shrinkage of fish body length by rigor mortis 1- 6
- A-249 Masashi NATSUME
Migration of Arabesque greenling, *Pleurogrammus azonus*,
from Okushiri Island in Hokkaido 7- 13
- A-250 Shin-ichi YOKOYAMA and Nobukatsu SHIMOVAYAMA
Movements of Tagged Cresthead flounder *Pleuronectes schrenki*
off Northeastern Hokkaido, Japan 15- 24
- A-251 Chiaki FUJISAWA and Masashi NATSUME
Migration of adult Pacific cod, *Gadus macrocephalus*, from Kikonai Bay,
southern Hokkaido, Japan 25- 31
- A-252 Masashi NATSUME and Masayoshi SASAKI
Distribution of walleye pollock, *Theragra chalcogramma*, 33- 40
larvae and juveniles off the northern coast of Hokkaido
- A-253 Muneharu KUSAKARI
Studies on the reproductive biology and artificial juvenile
production of kurosoi *Sebastes schlegeli* (Hilgendorf) 41-124
- A-254 Kohji EBITANI, Tadashi OHORI, Haruo TAKAHASHI and Yoshio EZURA
Production of alginate oligosaccharides from a unused by
ensilage fermentation at low temperature 125-137
- A-255 Keiji MAEDA and Shuichi NISHIUCHI
Distribution of pink shrimp, *pandalus eous* around Otaru Bank in the 139-142
spawning season (Short paper)

No.48 (March, 1996)

- A-256 Shin-ichi YOKOYAMA and Masayuki TANAKA
Effect of temperature and salinity on the hatch
of cresthead flounder *Pleuronectes schrenki* 1- 7
- A-257 Setsuo SAITO
Cryopreservation of flatfish sperm I.
Pellet and straw methods 9- 17
- A-258 Toshiyuki IIDA, Takafumi NISHIKIORI and Haruo TAKAHASHI
Influence of cystein protease inhibitor (E-64) on modori (gel degradation)
in salted surimi paste of chum salmon (*Oncorhynchus keta*) 19- 25
- A-259 Yasushi KUNIHIRO
A spawning kichiji rockfish, *Sebastolobus macrochir* Günther,
caught in the Sea of Okhotsk (Short paper) 27- 29

No.49 (November, 1996)

A-260	Shin-ich NABATA and Yuichi SAKAI Annual net production of the second year frond of <i>Laminaria diabolica</i>	1- 5
A-261	Mamoru KURATA Oxygen consumption of Japanese common scallop <i>Patinopecten yessoensis</i> (Jay) in the Okhotsk Sea	7-13
A-262	Mamoru KURATA, Yoshinori NISHIDA and Toshihiro MIZUSHIMA Fouling organisms attached on culture scallops, <i>Patinopecten yessoensis</i> , in Funka Bay	15-22
A-263	Yoshiyuki TAKAYA and Kenji KAWAMATA A handy method for detection on gonadal development of the sea cucumber, <i>Stichopus japonicus</i>	23-26
A-264	Yoshiyuki TAKAYA and Takuma IMAMURA Chemical constituents of various body parts in the starved sea urchin, <i>Strongylocentrotus intermedius</i> (A. AGASSIZ) (Short paper)	27-30
A-265	Masahiro SAKAMOTO, Youko KAWANO and Haruo TAKAHASHI Effect of ozone treatment on preservation of "Shoyu-zuke Ikura" (salmon roe seasoned with soy sauce) (Short paper)	31-33

No.50(March,1997)

A-266	Yuji NISHIHAMA, Toshifumi KAWAJIRI and Shigeki SAKAZAKI Survival ratio of the grass shrimp <i>Pandalus kessleri</i> CZERNIAVSKY in the lagoon Notoro-ko, Hokkaido.....	1-10
A-267	Tadashi KAWAI Yearly fluctuations in algal biomass on the Shiribeshi coast, western Hokkaido, Japan.....	11-18
A-268	Hiroshi HOSHIKAWA, Ken-ichiro TAJIMA and Chiaki FUJISAWA Field experiment on traps for starfish on a rocky shore to protect released abalone spats from predation.....	19-26
A-269	Kanji NAKAJIMA, Hiroya OKUMURA and Shin-ichi TAKABATAKE Effect on growth and survival of reared larvae of Sunray surf clam, <i>Mactra chinensis</i> PHILIPPI of single and mixed feeds of <i>Pavlova lutheri</i> and <i>Chaetoceros gracilis</i>	27-33
A-270	Akira SUGAWARA, Takuma IMAMURA, Shingo ASO and Kohji EBITANI Change of a paralytic shellfish poison by the marine bacteria living in the intestine of the Japanese surf clam, <i>Pseudocardium sybillae</i> and the brown sole, <i>Pleuronectes herzensteini</i>	35-42